

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: OSHA & GHS - Canada WHMIS 2015

Issuing Date 28-Aug-2024 Revision date 28-Aug-2024 Revision Number 3

1. Identification

Product identifier

Product Name UAS Preservative; Colli-Pee UAS FV-50XX (FV-5040)

Other means of identification

Product Code(s) PD-MSDS-152

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use For stabilization of human specimens

Restrictions on use No information available

Details of the supplier of the safety data sheet

Initial supplier identifier Supplier Address

DNA Genotek Inc., 500 Palladium Dr., Suite 3000, Ottawa, ON, Canada, K2V Suite 3000, Ottawa, ON, Canada, K2V

1C2

Manufacturer Address

DNA Genotek Inc., 500 Palladium Dr., Suite 3000, Ottawa, ON, Canada, K2V 1C2

Emergency telephone number

Company Phone Number 1-866-813-6354 Mon-Fri 9:00am-5:00am ET

Emergency Telephone 1-866-813-6354 Mon-Fri 9:00am-5:00am ET

2. Hazard(s) identification

Classification

Reproductive toxicity	Category 1B
Flammable liquids	Category 3

Appearance aqueous solution

Label elements

Physical state Liquid

Odor No information available

Danger

Hazard statements

May damage fertility or the unborn child

Flammable liquid and vapor





Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant

Other information

Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Ethanol	64-17-5	10-30	-	-
Sodium Acetate Trihydrate	6131-90-4	5-10	-	-
Boric acid	10043-35-3	1-5	-	-

4. First-aid measures

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

PD-MSDS-152 - UAS Preservative; Colli-Pee UAS FV-50XX (FV-5040)

Revision date 28-Aug-2024

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion Rinse mouth.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None. **Sensitivity to static discharge** Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff

Revision date 28-Aug-2024

water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up.

8. Exposure controls/personal protection

Control parameters Exposure Limits

Chemical name		ACGIH T	LV	0:	SHA PEL		NIOSH
Ethanol		STEL: 1000) ppm	TWA	: 1000 ppm		IDLH: 3300 ppm
64-17-5				TWA:	1900 mg/m ³		TWA: 1000 ppm
				(vacated)	TWA: 1000 ppm		TWA: 1900 mg/m ³
				(vacated) 7	ΓWA: 1900 mg/m ³		-
Boric acid		TWA: 2 mg/m ³	inhalable		-		-
10043-35-3		particulate r	natter				
		STEL: 6 mg/m ³	inhalable				
		particulate r	natter				
Chemical name		Alberta	British C	Columbia	Ontario		Quebec
Ethanol	Т	WA: 1000 ppm	STEL: 1	000 ppm	STEL: 1000 pp	m	STEL: 1000 ppm
64-17-5	TV	VA: 1880 mg/m ³					
Boric acid		-	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	TWA: 2 mg/m ³
10043-35-3			STEL: 6	6 mg/m ³	STEL: 6 mg/m	1 ³	STEL: 6 mg/m ³

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance aqueous solution

Color orange

Odor No information available Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

4.8 - 5.2 None known рΗ **Melting point / freezing point** No data available None known Initial boiling point and boiling rangeNo data available None known Flash point = 27 °C / 80.6 °F None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

No data available

Upper flammability or explosive

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known Water solubility No data available None known Solubility in other solvents No data available None known Partition coefficient None known No data available None known 363 °C / 685.4 °F **Autoignition temperature Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
No information available
No information available
No information available

Revision date 28-Aug-2024

FV-50XX (FV-5040)

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 16,881.20 mg/kg

 ATEmix (dermal)
 41,697.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 36.80 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h
64-17-5			= 133.8 mg/L (Rat) 4 h
Sodium Acetate Trihydrate 6131-90-4	= 3530 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 30 g/m³ (Rat) 1 h
Boric acid 10043-35-3	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.12 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Chemical name	ACGIH	IARC	NTP	OSHA
Г	Ethanol	A3	Group 1	Known	X
L	64-17-5				
Г	Boric acid	-	Group 2A	-	X
	10043-35-3		-		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Liver, Respiratory system, Eyes, Skin, Central nervous system, Blood, Reproductive

system.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethanol	-	LC50: 12.0 - 16.0mL/L	-	LC50: 9268 - 14221mg/L
64-17-5		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss)		EC50: =2mg/L (48h,
	LC50: >100mg/L (96h,			Daphnia magna)
	Pimephales promelas)			
		LC50: 13400 - 15100mg/L		
		(96h, Pimephales		
		promelas)		
Sodium Acetate	-	LC50: >100mg/L (96h,	-	EC50: >1000mg/L (48h,

PD-MSDS-152 - UAS Preservative; Colli-Pee UAS FV-50XX (FV-5040)

Trihydrate 6131-90-4		Danio rerio)		Daphnia magna)
Boric acid 10043-35-3	-	-	-	EC50: 115 - 153mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient			
Ethanol 64-17-5	-0.35			
Boric acid 10043-35-3	-1.09			

Mobility in soil

No information available.

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

California waste information

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOTProper shipping name
Not restricted
Not restricted

Special Provisions 49 CFR § 173.150 (e)

TDG Not restricted Not restricted Not restricted

Special Provisions SOR/2001-286 1.36 (b)

WEX Not restricted Not restricted Not restricted

on proper shipping hame Not to

Special Provisions 144

IATA Not restricted UN proper shipping name Not restricted

Special Provisions 144

MDG Not restricted UN proper shipping name Not restricted

Special Provisions 144

Revision date 28-Aug-2024

VN proper shipping name

Not restricted
Not restricted

Special Provisions 144

ADR Not restricted
UN proper shipping name Not restricted

Special Provisions 144

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** AIIC Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Ethanol - 64-17-5	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
RO/DI Water	-	-	X
7732-18-5			
Ethanol	X	X	X
64-17-5			
Boric acid	X	-	-
10043-35-3			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 1 Flammability 3 Instability 0 Special hazards - Health hazards *2 Flammability 3 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

PD-MSDS-152 - UAS Preservative; Colli-Pee UAS FV-50XX (FV-5040)

Revision date 28-Aug-2024

World Health Organization

Issuing Date 28-Aug-2024

Revision date 28-Aug-2024

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 11/11